



THE UNITED STATES PATENT AND TRADEMARK OFFICE

Serial No.: 09/940,489

Group Art Unit: 1744

Inventor(s): Bon et al.

Filed: 9/29/2001

Title: IN-LINE SYSTEM FOR OZONE SANITATION

Examiner: Monzer R. Chorbaji

NOTICE OF APPEAL FROM DECISION OF  
PRIMARY EXAMINER TO THE BOARD OF APPEALS

Mail Stop AF  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

Applicant(s) hereby appeal(s) to the Board of Appeals from the  
decision dated 12/16/2004 of the Primary Examiner finally  
rejecting claims: 1-7.

The items checked below are appropriate:

- ☐ A Petition for Extension of Time to respond to the Final Rejection was  
filed on \_\_\_\_\_ for \_\_\_\_\_ month(s).
- ☒ A Petition for Extension of Time to respond to the Final Rejection for  
3 month(s) is attached hereto.
- ☒ Appeal Fee - \$500.00 Fee Code 119
- ☐ Not required (fee paid in prior appeal).
- ☒ Charge the Appeal fee to Deposit Account No. 16-2440.  
One additional copy of this Notice is enclosed.
- ☒ Appeal Fee is included with the fee for the attached  
Petition for Extension of Time.

Respectfully submitted,

Donald T. Black  
Attorney for Applicant(s)  
Registration No. 27999  
Donald T. Black

Please send all correspondence to:

PRAXAIR, INC.  
Law Department - M1-557  
39 Old Ridgebury Road  
Danbury, Connecticut 06810-5113

Local Telephone Contact:

Dated: June 15, 2005  
Our Ref.: D-20946  
Attorney's Telephone No. (203) 837-2669

06/17/2005 SZEWDIE1 00000005 09940489

01 FC:1253 1020.00 DA  
02 FC:1401 500.00 DA